Milliput Component B Page 1 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

## SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product identifier Milliput Component B

Colour variations: Standard, Teracotta, and Black.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Component B of two-part, cold-setting epoxy putty.

Uses advised against: not available.

1.3 Details of the supplier of the safety data sheet

The Milliput Company, Unit 8, The Marian,

Dolgellau, Gwynedd LL40 1UU, UK. Tel 01341 422562; info@milliput.co.uk.

1.4 Emergency telephone number

Tel 01341 422562 (UK business hours).

UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information Service

(NPIS): 0344 892 0111.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to CLP Regulation: UK SI 2019 No. 720 and EU Regulation 1272/2008.

Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335.

See Section 16 'Other information' for full text of the H-statements.

#### 2.2 Label elements



Signal word Warning.

Hazard statements Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statements

general Keep out of reach of children.

prevention Wear protective gloves and eye protection.

response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs:

Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. If eye

irritation persists: Get medical attention.

storage None.

Milliput Component B Page 2 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

disposal Dispose of contents/container in accordance with local/national

regulation.

Supplemental information

None.

**2.3 Other hazards** Not available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures a,b

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	15–30	273-201-6	68953-36-6	NA	Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335
Tetraethylenepentamine	0.1-2	203-986-2	112-57-2	NA	Acute Tox 4, H302; Acute Tox 4, H312; Skin Corr 1B, H314; Eye Dam 1, H318; Skin Sens 1, H317; Aquatic Chronic 2, H411
Other components					
Talc	> 50	238-877-9	14807-96-6	NA	Not classified

a NA: not available.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Inhalation If inhalation of product is suspected of causing symptoms, remove

exposed person to fresh air and keep at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other

symptoms, get medical attention.

Skin If in contact with skin, wash affected area with soap and water, or shower.

For signs of irritation or rash, get medical attention. Take off contaminated

clothing and wash it before reuse.

Eye If in eye, rinse with room-temperature water or eyewash solution for

several minutes. Remove contact lens, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical attention.

Ingestion If in mouth, rinse out several times with water. Give water to drink if the

product has been swallowed. Get medical attention if exposed person feels unwell. Do not induce vomiting, unless instructed by medical

personnel.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation and serious eye irritation. May cause respiratory

irritation. May cause an allergic skin reaction.

<sup>&</sup>lt;sup>b</sup> See Section 16 'Other information' for full text of the H-statements.

Milliput Component B Page 3 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable Water spray, alcohol-resistant foam, carbon dioxide, or dry powder.

Unsuitable Water jet may spread fire.

5.2 Special hazards arising from the substance or mixture

The product is not classified as flammable. If involved in a fire, product will decompose producing hazardous smoke, vapours and gases.

**5.3** Advice for firefighters Remove product from fi

Remove product from fire or cool containers with water spray. Firefighters should wear self-contained breathing apparatus and full protective

clothing.

Prevent water from firefighting from entering water-courses or drainage

system.

#### Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency

procedures

Product is supplied in small packages for consumers which can be collected.

For large spills in a professional setting, wear personal protection. Follow prescribed procedures for responding to workplace spills.

6.2 Environmental precautions

Prevent product from entering water courses or drainage system.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible.

For small quantities, collect product or wipe off residue with cloth or paper. For larger quantities, absorb onto an inert material (eg sand), and sweep

up.

Rinse contaminated surfaces with soap and water. Collect waste, washings, and contaminated materials for safe disposal.

6.4 Reference to other sections

For recommended personal protective equipment, see Section 8.

For disposal considerations, see Section 13.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

See Section 8 for engineering controls and personal protection.

Keep out of reach of children.

For bulk handling, avoid skin and eye contact with the product, using measures described in Section 8. Avoid breathing vapours. Use in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Milliput Component B Page 4 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

7.2 Conditions for safe storage, including any For bulk storage, keep container closed. Store containers in a cool, dry

place away from direct sunlight. incompatibilities

7.3 Specific end use(s) Component B of two-part, cold-setting epoxy putty.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

EU limit values None.

National limit values (UK) Talc, respirable dust: WEL: 8 h TWA, 1 mg/m<sup>3</sup>.

Monitoring procedure Not available. Other: human health Not available.

(DNELs, DMELs)

Other: environmental

Not available.

(PNEC)

8.2 Exposure controls

Engineering controls For workplace use, good general ventilation (eg 3 air exchanges per hour)

is recommended.

Personal protective

equipment

For handling in the workplace, the need for personal protective equipment

should be based on a risk assessment for the particular use.

Avoid skin contact by wearing chemical resistant gloves (eg nitrile, 0.2 mm) and safety goggles. If extensive contact may occur, wear protective

clothing (eg apron, lab coat).

Respiratory protective equipment not required for foreseen use.

PPE should conform to GB or European (EN) standards. Consult

manufacturer concerning breakthrough times.

Environmental exposure

controls

Not available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

(a) Physical state Liquid (paste)

(b) Colour Various colours (Standard, Teracotta, and Black)

(c) Odour Characteristic (d) Melting/freezing point Not available Boiling point or initial Not available

boiling point and boiling

range

Not available Flammability

(g) Lower and upper

explosion limit

Not available

Milliput Component B Page 5 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

(h) Flash point Not available
(i) Auto-ignition temp. Not available
(j) Decomposition temp. Not available
(k) pH Not available
(l) Kinematic viscosity Not available

(m) Solubility In water: not available

(n) Partition coeff. n-octanol/water (log value)

Not available

(o) Vapour pressure Not available
 (p) Density or rel. density Not available
 (q) Relative vapour density Not available
 (r) Particle characteristics Not available

**9.2 Other information** Not considered explosive or oxidising

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** Product is alkaline and will react with acids and produce heat.

**10.2 Chemical stability** Stable under recommended storage and handling conditions. No

hazardous polymerization.

10.3 Possibility of hazardous reactions Not available.

10.4 Conditions to avoid

damage/irritation

sensitisation

High temperatures, or direct sunlight.

10.5 Incompatible materials

Strong acids, and oxidising agents.

10.6 Hazardous decomposition products

Not available.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity Based on available data on the ingredients, the classification criteria are

not met for the oral, dermal or inhalation routes of exposure.

(b) Skin corrosion/irritation Based on available data on the ingredients the classification criteria are

met for Category 2 (causes skin irritation).

(c) Serious eye Based on available data on the ingredients, the classification criteria are

met for Category 2 (causes serious eye irritation).

(d) Respiratory or skin Respiratory sensitisation: no relevant ingredient has been classified for

this effect.

Dermal sensitisation: based on available data, the classification criteria

are met for Category 1 (may cause an allergic skin reaction).

(e) Germ cell mutagenicity Based on available data, the classification criteria are not met.

Milliput Component B Page 6 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

No relevant ingredient has been classified for this effect. Based on available data, the classification criteria are not met. (f) Carcinogenicity No relevant ingredient has been classified for this effect. Based on available data, the classification criteria are not met. (g) Reproductive toxicity No relevant ingredient has been classified for this effect. (h) STOT-single exposure Based on available data on the ingredients, the classification criteria are met for Category 3 (may cause respiratory irritation). STOT-repeated Based on available data, the classification criteria are not met. exposure No relevant ingredient has been classified for this effect. Aspiration hazard Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.

## **SECTION 12: Ecological information**

**12.1 Toxicity** Based on available data on the ingredients, the classification criteria are

not met.

12.2 Persistence and degradability

11.2 Information on other

hazards

Not available.

relevant for humans.

12.3 Bioaccumulative

potential

Not available.

**12.4 Mobility in soil** Not available.

12.5 Results of PBT and vPvB assessment

No ingredients have been classified as PBT or vPvB.

12.6 Endocrine disrupting

properties

No ingredients have been classified as an endocrine disruptor.

**12.7 Other adverse effects** The mixture is not classified as hazardous to the ozone layer.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Small consumer items may be disposed of in landfill.

For bulk disposal, incineration or landfill is recommended for this product.

No ingredient identified as having endocrine disrupting properties

Disposal via the drains is not recommended.

Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC and GB equivalent.

### **SECTION 14: Transport information**

**14.1 UN Number** Not classified as dangerous goods for transport.

14.2 UN proper shipping name Not applicable.14.3 Transport hazard class(es) Not applicable.

Milliput Component B Page 7 of 7

# SAFETY DATA SHEET

Revision: 19 June 2024 Version number: 1.1

**14.4 Packing group** Not applicable.

**14.5 Environmental hazards** Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for

user

Not available.

14.7 Maritime transport in bulk

according to IMO instruments

Not applicable. This product is not intended to be transported by sea

in bulk containers.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation

regulations/legislation specific for the substance or mixture UK: Control of Substances Hazardous to Health Regulations 2002

(COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003

(also available on the HSE web site).

Workplace Exposure Limits EH40/2005 (Fourth Edition 2020), Health and

Safety Executive.

15.2 Chemical safety assessment

Not available.

#### **SECTION 16: Other information**

Revisions This SDS is version 1.1 in EU format (Regulation 2020/878), using

classification according to the CLP Regulation, or GB equivalent. No significant changes from the previous version 1.0 of 8 August 23, but

ingredient and product classifications checked.

Abbreviations ATE, acute toxicity estimate; DMEL, derived minimum effect level; DNEL,

derived no-effect level; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; SCL, specific concentration limit; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; vPvB, very persistent, very bioaccumulative; WEL, UK

workplace exposure limit.

References Search for chemicals; available at the European Chemicals Agency

(ECHA) website: http://echa.europa.eu/.

Basis of classification The classification of the mixture has been assessed according to the

criteria given in Regulation 1272/2008 or GB equivalent on the basis of

available information on the ingredients.

List of hazard statements H302: Harmful if swallowed; H312: Harmful in contact with skin; H314:

Causes severe skin burns and eye damage; H315: Causes skin irritation; H317: May cause an allergic skin reaction; H318: Causes serious eye damage; H319: Causes serious eye irritation; H335: May cause respiratory irritation; H411: Toxic to aquatic life with long lasting effects.