# ROYAL 🐼 TALENS

Safety data sheet according to 1907/2006/EC, Article 31 Page 1/8

Printing date 16.01.2018

Revision: 16.01.2018

SECTION 1.	: Identification of the substance/mixture and of the company/undertaking	
1.1 Product ide	ntifier	
Trade name: <u>A</u>	MSTERDAM ACRYLIC VARNISH SATIN 116	
Relevant identif <b>1.3 Manufactur</b> Royal Talens P.O.Box 4	entified uses of the substance or mixture and uses advised against fied use: Picture varnish	
Regulatory Affa safety@royaltal <b>1.4 Emergency</b> Great Britain: 1		
SECTION 2	: Hazards identification	
	on of the substance or mixture according to Regulation (EC) No 1272/2008	
GHS	102 flame	
	U226 Flammahla limit and ann ann	
Flam. Liq. 3	H226 Flammable liquid and vapour.	
GHS	09 environment	
Aquatic Chroni	ic 2 H411 Toxic to aquatic life with long lasting effects.	
$\mathbf{A}$		•
GHS	07	
$\mathbf{V}$		
Skin Irrit. 2	H315 Causes skin irritation.	
Eye Irrit. 2 Skin Sens. 1	H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.	
SKIN SENS. 1 STOT SE 3	H336 May cause drowsiness or dizziness.	
	rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.	
GHS02 GHS	S07 GHS09	
Signal word Wa		
0	-	
Turpentine, oil	ining components of labelling: C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics ents	
	ole liquid and vapour.	
		age

Printing date 16.01.2018

Revision: 16.01.2018

(Contd. of page 1)

H315 Causes skin irritation. H319 Causes serious eve irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

*P101 If medical advice is needed, have product container or label at hand.* 

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

*P501 Dispose of contents/container to hazardous waste collection point.* 

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with non-hazardous additions.

#### · Dangerous components:

EC/List number: 919-857-5	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2%	25-50%
Reg.nr.: 01-2119463258-33	aromatics	
	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 STOT SE 3, H336	
CAS: 8006-64-2	Turpentine, oil	10-25%
EINECS: 232-350-7	<ul> <li>Flam. Liq. 3, H226;</li> <li>Asp. Tox. 1, H304;</li> <li>Aquatic Chronic 2, H411;</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317</li> </ul>	
	Hydrocarbons, C9, aromatics	5-10%
Reg.nr.: 01-2119455851-35	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H335-H336	
· Additional information · For	r the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

Headache

May cause drowsiness or dizziness.

Nausea

Irritating to respiratory system and skin.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder, water haze, foam
- For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 16.01.2018

Revision: 16.01.2018

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Protect from heat and direct sunlight.

· Storage class: -

• 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

8006-64-2 Turpentine, oil (10-25%)

WEL Short-term value: 850 mg/m<sup>3</sup>, 150 ppm Long-term value: 566 mg/m<sup>3</sup>, 100 ppm

#### · DNELs

· DNELS					
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics					
Oral	DNEL, long term (chronic) - systemic effects	125 mg/kg bw/day (Consumer)			
Dermal	DNEL, long term (chronic) - systemic effects	125 mg/kg bw/day (Consumer)			
		208 mg/kg bw/day (Employee)			
Inhalative	DNEL,long term (chronic) - systemic effects	185 mg/m3 (Consumer)			
		871 mg/m3 (Employee)			
Hydrocarb	Hydrocarbons, C9, aromatics				
Oral	DNEL, long term (chronic) - systemic effects	11 mg/kg bw/day (Consumer)			
Dermal	DNEL, long term (chronic) - systemic effects	11 mg/kg bw/day (Consumer)			
		25 mg/kg bw/day (Employee)			
Inhalative	DNEL,long term (chronic) - systemic effects	32 mg/m3 (Consumer)			
		150 mg/m3 (Employee)			
	1	(Contd. on page 4)			

Printing date 16.01.2018

Revision: 16.01.2018

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not necessary if room is well-ventilated. Only during spraying without adequate removal by suction. **Protection of hands:** 



If prolonged or repeated contact is likely, chemical resistant gloves are recommended.

- · Material of gloves Nitrile rubber, NBR
- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Safety glasses if risk of splashes.

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Fluid
Form: Colour:	
Odour:	According to product specification Characteristic
Odour: Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	24-36 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	No further relevant information available.
Vapour pressure:	Not determined.
Density at 20 °C:	0.85 g/cm <sup>3</sup>
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.

- GB

Printing date 16.01.2018

Revision: 16.01.2018

		(Contd. of page 4)
• Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	$>20.5 \text{ mm}^{2/s}$	
• 9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

• 10.1 Reactivity Dangerous reactions are not expected if the product is handled according to its intended use.

• 10.2 Chemical stability Stable under recommended storage and handling conditions (see section 7).

· 10.3 Possibility of hazardous reactions

Dangerous reactions are not expected if the product is handled according to its intended use.

• 10.4 Conditions to avoid Keep away from sources of ignition - No smoking.

· 10.5 Incompatible materials: Strong oxidising agents.

• 10.6 Hazardous decomposition products: No decomposition if used according to specifications.

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	relevant f	for	classification:
-----------	--------	------------	-----	-----------------

	~ ~ ~				
Hydrocarl	<i>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</i>				
Oral	LD50	>5,000 mg/kg (rat)			
Dermal	LD50	>5,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>5,000 mg/l (rat)			
8006-64-2 Turpentine, oil					
Oral	LD50	>5,000 mg/kg (rat)			
Inhalative	LC50/4 h	13.7 mg/l (rat)			
Hydrocarbons, C9, aromatics					
Oral	LD50	2,000-5,000 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (rabbit)			
· Primary ir	ritant effe	ct:			
· Skin corro	sion/irrita	tion			
Causes ski	n irritation	1.			
· Serious ey					
Causes ser	ious eye ir	ritation.			
· Respirator	y or skin s	ensitisation			
May cause an allergic skin reaction.					
· CMR effec	cts (carcine	ogenity, mutagenicity and toxicity for reproduction)			
· Germ cell	mutagenic	city Based on available data, the classification criteria are not met.			
· Carcinoge	nicity Base	ed on available data, the classification criteria are not met.			
		y Based on available data, the classification criteria are not met.			
· STOT-sing	•	·			
	,				

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 16.01.2018

Revision: 16.01.2018

(Contd. of page 5)

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:

#### Hydrocarbons, C9, aromatics

*EC50, acute 1-10 mg/l (algae)* 

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Generally not hazardous for water

Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

· 14.1 UN-Number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1263 PAINT RELATED MATERIAL ENVIRONMENTALLY HAZARDOUS PAINT RELATED MATERIAL
· 14.3 Transport hazard class(es)	
· ADR	
· Class	3 Flammable liquids.
· Class · 14.4 Packing group · ADR	3 Flammable liquids. III
· 14.4 Packing group · ADR	·
<ul> <li>14.4 Packing group</li> <li>ADR</li> <li>14.5 Environmental hazards:</li> </ul>	III

Printing date 16.01.2018

Revision: 16.01.2018

	(Contd. of page
• Transport/Additional information:	
·ADR	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	D/E
• UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III ENVIRONMENTALLY HAZARDOUS

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

<sup>·</sup> Directive 2012/18/EU

GE

Printing date 16.01.2018

Revision: 16.01.2018

(Contd. of page 7)

Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

GB