according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

 Article No.
 Issue date:
 09.09.15

 Version
 4 (09.09.15)
 Page
 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 50 051 - Brush cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de Schmincke-lab:

mo-th 8.00-16.30,fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information Phone #

Emergencycall Berlin (0.00-24.00) german/english

+49 30 / 30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

Eye Irrit. 2; H319 Causes serious eye irritation. Flam. Lig. 3; H226 Flammable liquid and vapour.

Skin Sens. 1; H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling (CLP)





<u>Signal word</u> Warning

Hazard statements

H226 Flammable liquid and vapour.H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

smoking.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Labelling for contents according to regulation (EC) No. 648/2004: 5 - 15 % non-ionic surfactants

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterization

Orange peel oil anionic tenside ester

CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

3.2 Mixtures

Substance 1

1-methoxy-2-propanol: 10 - 20 %

CAS-Number: 107-98-2

REACH registration No.: 01-2119457435-35-xxxx

Classification according to EC regulation 1272/2008 (CLP):

Flam. Liq. 3; H226 / STOT SE 3; H336

Substance 3

methyl decanoate: 2,5 - 10 %

CAS-Number: 110-42-9

REACH registration No.: 01-2119487998-07-xxxx

Classification according to EC regulation 1272/2008 (CLP):

Skin Irrit. 2; H315

Substance 5

(2-methoxymethylethoxy) propanol: 10 - 25 %

CAS-Number: 34590-94-8

REACH registration No.: 01-2119450011-60-xxxx

Classification according to EC regulation 1272/2008 (CLP):

Substance 2

Limonene: 2,5 - 10 % CAS-Number: 8028-48-6

REACH registration No.: 01-2119493353-35-xxxx

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / Skin Irrit. 2; H315 / Skin Sens. 1; H317

Substance 4

poly (ethylene oxide) mono-2-propylheptyl ether: < 3,0 % Classification according to EC regulation 1272/2008 (CLP):

Acute Tox. 4; H302 / Eye Dam. 1; H318

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of inhalation

Move victim to fresh air, put at rest and loosen restrictive clothing. Seek medical attention if problems persist.

In case of skin contact

After contact with skin, wash immediately with soap and plenty of water. Then cream your skin.

After eye contact

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After swallowing

Do NOT induce vomiting. Give nothing to eat or drink. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide Foam dry extinguishing powder water mist powder

Extinguishing media which must not be used for safety reasons

High power water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide Vapours are heavier than air and will spread at floor level.

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. refer to section ###

Additional information

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice. Provide adequate ventilation. refer to section ###

Precautions against fire and explosion

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

09.09.15 Article No. Issue date: (09.09.15) 4 / Version Page

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition and heat.

Hints on joint storage

Do not store together with combustible or self-igniting materials or any highly flammable solids.

Storage class

Further details

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

107-98-2 1-methoxy-2-propanol

DEU	WEL	100,000	ppm	-
DEU	WEL	370,000	mg/m³	2 (I); DFG

34590-94-8 (2-methoxymethylethoxy) propanol

DEU	WEL	310,000	mg/m³	-	
DEU	WEL	50,000	ml/m³	1 (I); DFG; EU	

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection must be worn whenever the WEL levels have been exceeded. Suitable respiratory protection apparatus: Use filter type A (= against vapours of organic substances)

Hand protection

Qualified materials: Nitrile rubber or Fluororubber (Viton) Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Tightly sealed safety glasses.

Body protection

Flame-resistant antistatic protective clothing

General protection and hygiene measures
When using do not eat, drink or smoke. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Physical state liquid clear Colour

weak aromatic Odour

> min max

Initial boiling point and

boiling range

Melting point/freezing point

49 °C Flash point/flash point range

Flammability

Ignition temperature

Auto-ignition temperature

1 Vol % 36,5 Vol **Explosion limits** %

Refraction index

Partition coefficient: n-octanol/water

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

09.09.15 Article No. Issue date: 5 / (09.09.15) Version Page

Explosive properties

128 mbar 20 °C Vapour pressure

Density

0,99 g/ml

PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Keep away from sources of ignition.

10.5 Incompatible materials

strong oxidizing agents strong acids Strong alkali

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity In case of inhalation After swallowing In case of skin contact After eye contact

Practical experience

General remarks

Toxicological tests

8028-48-6 Limonene

г		1					
	oral	LD50	Rat		4400,000	mg/kg	-
	dermal	LD50	Rabbit		5000,000	mg/kg	-
-							
Toxicological te							
	poly (et	hylene oxide) m	ono-2-propylheptyl et	her			
	oral	LD50	Rat		700,000	mg/kg	-
	dermal	LD50	Rabbit		2000,000	mg/kg	-
Tarriantanianta	_4_						
Toxicological te							
34590-94-8	3 (2-meth	oxymethylethox	y) propanol				
	LD50	oral	Rat		5140,000	mg/kg	-

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

Article No.	4 (09.09.15)					Issue date:			09.09.15	
Version						Page			6 / 9	
	LD50	dermal	Rabbit		9510,000	mg/kg	-			

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity
Water Hazard Class

3

WGK catalog number General information

12.2 Persistence and degradability

Further details Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

8028-48-6 Limonene

	not required	LC50	fish	0,720	mg/L	(96h)
	not required	EC50	Daphnia magna (Big water	0,420	mg/L	(48h)
Ecotoxicologica	l effects					
110-42-9	methyl dec	anoate				
	-					
	not required	LC50	fish	1700,000	mg/L	(48h)
	not required	EC50	Daphnia magna (Big water	1,100	mg/L	(48h)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

Recommendation

Contaminated packaging

Waste key number Recommendation

Additional information

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

 Article No.
 Issue date:
 09.09.15

 Version
 4 (09.09.15)
 Page
 7 / 9

SECTION 14: Transport information

14.1 UN number

1263

14.2 UN proper shipping name

ADR, ADN Paint related material PAINT RELATED MATERIAL

14.3 Transport hazard class(es)

 ADR, ADN
 3

 IMDG
 3

 IATA
 3

14.4 Packing group

TTT

14.5 Environmental hazards

Marine Pollutant - IMDG Yes
Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RIDF1Kemmler-number30Hazard label ADR3Limited quantities5L

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

 Contaminated packaging: Special provisions
 PP1

 Special provisions for packing together
 MP19

 Portable tanks: Instructions
 T2

 Portable tanks: Special provisions
 TP1 - TP29

 Tank coding
 LGBF

 Tunnel restriction
 D/E

Remarks

EQ E1

Special provisions 163 - 640E - 650

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary Ventilation Remarks

Special provisions

Sea transport

EO

EmSF-E, S-ESpecial provisions163 - 223 - 955Limited quantities5LContaminated packaging: InstructionsP001 - LP01Contaminated packaging: Special provisionsPP1IBC: InstructionsIBC03

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

 Article No.
 Issue date:
 09.09.15

 Version
 4 (09.09.15)
 Page
 8 / 9

IBC: Provisions - Tank instructions IMO - Tank instructions IMO - Tank IMO -

Tank instructions UN T2
Tank instructions Special provisions TP1 - TP29

Stowage and segregation category A

Properties and observations

Remarks

EQ E1

Air transport

 Hazard
 flammable liquid

 Passenger
 309 (60L)

 Passenger LQ
 Y309 (10L)

 Cargo
 310 (220L)

 ERG
 3L

Remarks

EQ

Special Provisioning -

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]
Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class 3

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

87 %

Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

50 051 - Brush cleaner

Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information