according to Regulation (EC) No 1907/2006

	Hardener "water-clear"				
Print date: 06.12.2016	Product code: 107111		Page 1 of 9		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Hardener "water-clear"					
REACH Registration Number:	01-2119557899-12-				
CAS No:	9046-10-0				
1.2. Relevant identified uses of the	substance or mixture and uses advised aga	ainst			
Use of the substance/mixture					
Hardener (Crosslinker)					
1.3. Details of the supplier of the same	afety data sheet				
Company name:	R&G Faserverbundwerkstoffe GmbH				
	Composite Technology				
Street:	Im Meißel 7 - 13				
Place:	D-71111 Waldenbuch				
Post-office box:	1145				
	D-71107 Waldenbuch				
Telephone:	+49 (0)7157 5304-60	Telefax:+49 (0)7157 5304-70			
e-mail:	info@r-g.de				
Internet:	www.r-g.de				
Responsible Department:	Management				
1.4. Emergency telephone	Vergiftungs-Informations-Zentrale Freibur	rg			
<u>number:</u>	Tel: +49 (0)761 19240				

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1B Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: Causes severe skin burns and eye damage. Causes serious eye damage.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Reaktionsprodukte von Propan-1,2-diol, propoxyliert durch Aminierung der terminalen Hydroxylgruppen

Signal word:

Pictograms:



Danger

# Hazard statements H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P310 Immediately call a POISON CENTER/doctor.

# according to Regulation (EC) No 1907/2006

# Hardener "water-clear"

Print date: 06.12.2016

Product code: 107111

Page 2 of 9

P405

Store locked up.

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

## Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
9046-10-0	Polyoxyalkylenediamine			100 %
	618-561-0 01-2119557899-12			
	Skin Corr. 1B, Eye Dam. 1; H314 H318			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

Take off immediately all contaminated clothing.

# After inhalation

consult a doctor.

## After contact with skin

Immediately wash off with copious amounts of water. If skin irritation occurs.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# After ingestion

Drink plenty of water and fresh air. Call a doctor immediately

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, Water spray jet.

# Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

When heating up or in the fire case formation of poisonous gasses possible.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to Regulation (EC) No 1907/2006

# Hardener "water-clear"

Print date: 06.12.2016

Product code: 107111

Page 3 of 9

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter the soil or subsoil.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

#### 6.4. Reference to other sections

Carefully cleaning scene of an accident.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

The usual precautions when handling chemicals must be observed. Keep receptacles tightly sealed. Provide adequate ventilation/vapour extraction at the workplace.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep/Store only in original container.

## Advice on storage compatibility

Store separately from foodstuffs.

## Further information on storage conditions

Keep receptacles tightly sealed.

# 7.3. Specific end use(s)

No further relevant information

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.2. Exposure controls



## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Eye/face protection

Suitable eye protection: goggles.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four

Salety Data Sheet				
according to Regulation (EC) No 1907/2006				
Hardener "water-clear"				
Print date: 06.12.2016	Product code: 107111	Page 4 of 9		
<ul> <li>control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.</li> <li>Recommended material: FKM (fluoro rubber), @0802.B008198</li> <li>Thickness of glove material: &gt; 0,5mm</li> <li>Skin protection</li> <li>Wear suitable protective clothing.</li> <li>Respiratory protection</li> <li>In case of inadequate ventilation wear respiratory protection. Combination filtering device (EN 14387) A-P2</li> </ul>				
SECTION 9: Physical and chemical pro				
9.1. Information on basic physical and che				
Physical state:	liquid			
Colour: Odour:	colourless			
Odour.	like: Amines.			
		Test method		
pH-Value:	not determined			
Changes in the physical state				
Melting point:	< -60 °C			
Initial boiling point and boiling range:	> 200 °C			
Flash point:	> 100 °C			
Flammability				
Solid:	not applicable			
Gas:	not applicable			
Lower explosion limits:	0,7 vol. %			
Upper explosion limits:	5,0 vol. %			
Ignition temperature:	240 °C			
	240 0			
Auto-ignition temperature	not oppliable			
Solid: Gas:	not applicable not applicable			
Decomposition temperature:	not determined			
Oxidizing properties				
Not oxidizing.				
Vapour pressure:	not determined			

Density (at 20 °C):

Water solubility:

# Solubility in other solvents not determined Partition coefficient: Viscosity / kinematic: (at 23 °C) Vapour density:

Evaporation rate:

9.2. Other information

0,948 g/cm3 ISO 2811

miscible

10 mm²/s

not determined

not determined

not determined

according to Regulation (EC) No 1907/2006

# Hardener "water-clear"

Print date: 06.12.2016

Product code: 107111

Page 5 of 9

Solid content:

not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid.

# 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Acid

# 10.6. Hazardous decomposition products

In case of fire may be liberated: toxic and caustic gases and vapours

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Acute toxicity

CAS No	Chemical name					
	Exposure route Dose Species Source					
9046-10-0	Polyoxyalkylenediamine					
	oral LD50 2885 mg/kg Rat IUCLID					
	dermal LD50 2980 mg/kg Rabbit IUCLID					

## Irritation and corrosivity

Caustic effect on skin and mucous membranes.

#### Sensitising effects

no danger of sensitization.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	S No Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source
9046-10-0	Polyoxyalkylenediamine					
	Acute fish toxicity	LC50	772 mg/l		Leuciscus idus (golden orfe)	OECD 203
	Acute algae toxicity	ErC50	15 mg/l		Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity EC50 80 mg/l			Daphnia magna (Big water flea)	OECD 202	
	Acute bacteria toxicity	(750 mg	ı/l)	3 h	Activated sludge	OECD 209

according to Regulation (EC) No 1907/2006

# Hardener "water-clear"

Print date: 06.12.2016

Product code: 107111

Page 6 of 9

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
9046-10-0	Polyoxyalkylenediamine			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	0%	28	
	Not readily biodegradable (according to OECD criteria)			

# 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

not applicable

# 12.6. Other adverse effects

No information available.

# Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

080299

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

#### Waste disposal number of used product

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

# Waste disposal number of contaminated packaging

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information	
Land transport (ADR/RID)	

<u>14.1. UN number:</u>	UN 2735
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (polypropylenediamine)
14.3. Transport hazard class(es):	8

# according to Regulation (EC) No 1907/2006

roduct code: 107111 Page 7 of 9
>
>
LIQUID, CORROSIVE, N.O.S. (Polyoxyalkylenediamine)
sport)
LIQUID, CORROSIVE, N.O.S. (polypropylenediamine)
LIQUID, CORROSIVE, N.O.S. (polypropylenediamine)

# according to Regulation (EC) No 1907/2006

	Hardene	r "water-clear"		
Print date: 06.12.2016	Product	t code: 107111		Page 8 of 9
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	0.5 L			
IATA-packing instructions - Passenger:		851		
IATA-max. quantity - Passenger:		1 L		
IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		
Other applicable information (air transp E1 Passenger-LQ: Y840	ort)			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	yes		¥2	

# 14.6. Special precautions for user

Warning: strongly corrosive.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile
	work protection guideline' (94/33/EC).
Water contaminating class (D):	1 - slightly water contaminating

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text)

- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

according to Regulation (EC) No 1907/2006

	Hardener "water-clear"	
Print date: 06.12.2016	Product code: 107111	Page 9 of 9
H411	Toxic to aquatic life with long lasting effects.	

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.