

Trade name :	Lascaux Studio Bronze Original English green gold (993)		
Revision date :	22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
Print date :	22.05.2017		

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Lascaux Studio Bronze Original English green gold (993)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Artists' Acrylic Colour

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier :	Lascaux Colours & Restauro, Barbara Diethelm AG
Street :	Zürichstrasse 42
Postal code/city :	CH-8306 Brüttisellen
Telephone :	+41 44 807 41 41
Telefax :	+41 44 807 41 40
Information contact :	info@lascaux.ch
European address :	Lascaux Colours & Restauro Europe GmbH
Street :	Turmstrasse 11
Postal code/city :	D-78467 Konstanz
Telephone :	+49 7531 911 3996
Telefax :	+49 7531 911 3997
Information contact :	info@lascaux.de

1.4 Emergency telephone number

Tox Info Suisse, 24-h-emergency number 145, Tel. +41 44 251 51 51

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 ; H400 - Hazardous to the aquatic environment : Acute 1 ; Very toxic to aquatic life. Aquatic Chronic 2 ; H411 - Hazardous to the aquatic environment : Chronic 2 ; Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms





Revision date : 22.05.2		Lascaux 9 22.05.2017 22.05.2017	tudio Bronze Original English g Ver	reen gold (993) rsion (Revision) :	10.0.0 (9.0.0)
	P391	Collect spil	age.		
	Special rules for s	upplemental	abel elements for certain mixtures		
	EUH208	Contains FATTY ACIDS, TALL-OIL, MALEATED, WITH TRIETHANOLAMINE ; 2-METHYL-2H- ISOTHIAZOL-3-ONE ; 1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACTION MASS OF: 5-CHLORO- METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1).May produce an allergic reaction.			OF: 5-CHLORO-2
2.3	Other hazards None				
SEC	TION 3: Composi	tion/infor	nation on ingredients		
3.2	Mixtures				
	Hazardous ingredie	ents			
	COPPER ; EC No. : 23	31-159-6; CAS N	o. : 7440-50-8		
	Weight fraction :		≥ 15 - < 20 %		
	Classification 1272/2	2008 [CLP] :	Acute Tox. 4 ; H302 Aquatic Acute 1 ; H	400 Aquatic Chronic 2 ; H	411
	ZINC ; EC No. : 231-1	75-3; CAS No.	7440-66-6		
	Weight fraction :		≥ 5 - < 10 %		
	Classification 1272/2	2008 [CLP] :	Aquatic Acute 1 ; H400 Aquatic Chronic	1;H410	
	FATTY ACIDS, TALL-0 : 309-692-1	DIL, MALEATED,	WITH TRIETHANOLAMINE ; REACH registr	ation No. : 01-211997293	5-19-0000 ; EC No
	Weight fraction :		≥ 0,5 - < 1 %		
	Classification 1272/2	2008 [CLP] :	Skin Sens. 1B ; H317		
	1,2-BENZISOTHIAZO	3(2H)-ONE ; E	C No. : 220-120-9; CAS No. : 2634-33-5		
	Weight fraction :		≥ 0,005 - < 0,05 %		
	Classification 1272/2	2008 [CLP] :	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400	Skin Irrit. 2 ; H315 Skin	Sens. 1 ; H317
	REACTION MASS OF: : 55965-84-9	5-CHLORO-2-M	THYL-4-ISOTHIAZOLIN-3-ONE AND 2-ME	THYL-2H -ISOTHIAZOL-3-0	ONE (3:1) ; CAS N
	Weight fraction :		≥ 0,00015 - < 0,0015 %		
	Classification 1272/2	2008 [CLP] :	Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 H410		
	Additional information	tion			
	Full text of H- and EU				

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Following inhalation

Take the casualty into the fresh air and keep warm. Keep at rest. Irregular breathing/no breathing: artificial respiration. Unconsciousness: lateral position - call a physician.

In case of skin contact

Wash away with soap and water and rinse. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, keep eyelids open. Flush with plenty of water (10 - 15 min.). Call a physician.

After ingestion



Trade name :	Lascaux Studio Bronze Original English green gold (993)		
Revision date :	22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
Print date :	22.05.2017		

Contact a doctor immediately. Keep at rest. Do not induce vomiting.

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

Waterjet.

- 5.1 Extinguishing media Suitable extinguishing media Alcohol resistant foam, CO2, powders, water spray. Unsuitable extinguishing media
- **5.2 Special hazards arising from the substance or mixture** Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
- 5.3 Advice for firefighters Special protective equipment for firefighters Appropriate breathing apparatus may be required.
- **5.4 Additional information** Do not allow the quenching water into the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources and provide for good ventilation. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferabily with a detergent; avoid use of solvents.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not eat or drink during work - no smoking. Comply with the health and safety at work laws. For personal protection see Section 8.

7.2 Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

No particular measures required.

Hints on joint storage

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

Page : 3 / 7



Trade name :	Lascaux Studio Bronze Original English green gold (993)		
Revision date : Print date :	22.05.2017 22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
Print date :	22.05.2017		

Storage class (D): 12 Storage class (TRGS 510) (D): 12

Further information on storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep containers dry and cool. Comply with the health and saftey at work laws.

7.3 Specific end use(s) None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Wear protective glasses in case of splashes.

Skin protection

Body protection

After skin contact wash thorougly with soap and water or use recognised skin cleanser. Do Not use solvents or thinners.

Respiratory protection

If workplace limits are exceeded, a gas mask approved for this purpose must be worn.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. **Colour :** Coloured.

Odour

Poor, characteristic.

Safety relevant basis data

Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C
Flash point :			not applicable	
Vapour pressure :	(50 °C)	approx.	120	hPa
Density :	(20 °C)	approx.	1,4	g/cm ³
рН :		approx.	7,5	
Viscosity :	(20 °C)	approx.	6000	mPa.s

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

No information available.



Trade name :	Lascaux Studio Bronze	Lascaux Studio Bronze Original English green gold (993)		
Revision date :	22.05.2017	Version (Revision) :	10.0.0 (9.0.0)	
Print date :	22.05.2017			

10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid Stable under recommended storage and handling conditions(See section 7).
10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects No information available.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.
- **12.4 Mobility in soil** No information available.
- **12.5 Results of PBT and vPvB assessment** No information available.
- **12.6 Other adverse effects** No information available.

12.7 Additional ecotoxicological information

There are no data available on the product itself. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

Contaminated packaging must be emptied of all residues and, following appropriate cleaning, may be sent to a recycling plant. Uncleaned packaging must be disposed of in the same manner as the medium.

13.1 Waste treatment methods

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

08 01 11: waste paint and varnish containing organic solvents or other dangerous substances.

SECTION 14: Transport information

14.1 UN number

- UN 3082
- 14.2 UN proper shipping name

Land transport (ADR/RID)



Trade name :		io Bronze Original English green gold (993)	
Revision date :	22.05.2017	Version (Revision) :	10.0.0 (9.0.0
Print date :	22.05.2017		
ENVIRONMENTALLY F	HAZARDOUS SUBSTAN	NCE, LIQUID, N.O.S. (COPPER · ZINC)	
Sea transport (IMD ENVIRONMENTALLY		NCE, LIOUID, N.O.S. (COPPER · ZINC)	
		NCE, LIQUID, N.O.S. (COPPER · ZINC)	
14.3 Transport hazar			
Land transport (AD	• • •		
Class(es) :	K/RID)	9	
Classification code		M6	
	on number (Kemler		
No.) :		90	
Special provisions	:	LQ 5 · E 1 · ADR : - (SP 375 <= 5 l/kg)	
Hazard label(s) :		9 / N	
Sea transport (IMD	G)		
Class(es) :		9	
EmS-No. :		F-A / S-F	
Special provisions	:	LQ 5 I · E 1 · Segregation Group 7 - Heavy metals and their sa organometallic compounds) · IMDG : - (SP 2.10.2.7 <= 5 I/kg)	
Hazard label(s) :		9 / N	
Air transport (ICAC)-TI / IATA-DGR)		
Class(es) :		9	
Special provisions	:	E 1 · IATA : - (SP A197 <= 5 l/kg)	
Hazard label(s) :		9 / N	
14.4 Packing group			
III			
14.5 Environmental h	azards		
Land transport (AD	R/RID): Yes		
Sea transport (IMD	G): Yes (P)		
Air transport (ICAC	-TI / IATA-DGR) :	Yes	
14.6 Special precauti	•		
None			

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

U.S.A. Conforms to ASTM D-4236.

Technische Anleitung Luft (TA-Luft) (D) :

Weight fraction (Number 5.2.5. I) : < 5 %Weight fraction (Number 5.2.2. III) : 18 - 19 %

```
Water hazard class (WGK)
```

Class (D) : 2 (Hazardous to water) Classification according to VwVwS

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes



Trade name :	Lascaux Studio Bronze Original English green gold (993)		
Revision date :	22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
Print date :	22.05.2017		

None

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

	· · ·
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
L/11	Toxic to aquatic life with long lacting offects

H411 Toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

The details in this material safety data sheet satisfy national and EC legislation. We have no knowledge or control over the user's working conditions however. The product may not be used for any purpose other than that specified in chapter 1 unless written consent has been obtained. The user is responsible for the observance of all required statutory provisions.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.