# Safety data sheet according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6) Printing date 06.05.2022 Revision: 22.04.2022 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: MONTANA EFFECT Marble various colours · Article number: 100092, 100093, 415357, 415364, 493935, 493942, 522826, 100091alt, 415371alt, 508134alt · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC9a Coatings and paints, thinners, paint removers · Process category **PROC7** Industrial spraying **PROC11** Non industrial spraying · Application of the substance / the mixture Lacquer  $\cdot$  1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: MONTANA CANS Häusserstr. 36 D-69115 Heidelberg Tel. +49-6221-36333-30 Fax +49-6221-36333-33 info@montana-cans.com www.montana-cans.com · Further information obtainable from: Department Product Safety · 1.4 Emergency telephone number: Tel.:+49 6266-75-310 Fax +49 6266-75-362 (Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm) UK: Public emergeny phone no: 111 Only for healthcare professionals: 0344 892 0111 Ireland: Poison center if childs have been poisened: 01 809 2166 (8:00 am - 10:00 pm, 7 days) Only for healthcare professionals: 01 809 2566 (24 h / 7 days) Tox Info Suisse 145 (24-h-emergency number) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Eye Irrit. 2 H319 Causes serious eye irritation. (Contd. on page 2)

Page 2/9

# Safety data sheet


according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

# Trade name: MONTANA EFFECT Marble various colours



• **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

# · 3.2 Mixtures

 $\cdot \textit{Description: Mixture of substances listed below with nonhazardous additions.}$ 

· Dangerous components:		
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	dimethyl ether Flam. Gas 1A, H220 Press. Gas (Comp.), H280	75- <i>≤</i> 100%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	10-<12.5%
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226 STOT SE 3, H336	<2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	titanium dioxide I Carc. 2, H351	<1%
· Additional information:	·	,

# The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply.

(Contd. on page 3)

GB

Page 3/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

## Trade name: MONTANA EFFECT Marble various colours

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. No special measures required.

• *Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.* 

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

• Storage class: 2 B

(Contd. on page 4)

GB

Page 4/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.05.2022

*Version number 7 (replaces version 6)* 

Revision: 22.04.2022

# Trade name: MONTANA EFFECT Marble various colours

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

# 115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm Long-term value: 766 mg/m<sup>3</sup>, 400 ppm

#### 67-64-1 acetone

WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

## 108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m<sup>3</sup>, 100 ppm Long-term value: 274 mg/m<sup>3</sup>, 50 ppm Sk

## 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*total inhalable \*\*respirable

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Avoid contact with the eyes.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

# Filter A2/P3 • Hand protection



Protective gloves

# · Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance

measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

(Contd. of page 3)

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

# Trade name: MONTANA EFFECT Marble various colours

(Contd. of page 4) · Eye/face protection Tightly sealed goggles **SECTION 9: Physical and chemical properties** • 9.1 Information on basic physical and chemical properties · General Information · Physical state Aerosol · Colour: According to product specification · Odour: *Characteristic* · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range Not applicable, as aerosol. · Flammability Not applicable. · Lower and upper explosion limit 1 Vol % (xylene) · Lower: · Upper: 8 Vol % (xylene) · Flash point: Not applicable, as aerosol. 240 °C (464 °F) · Ignition temperature: · Decomposition temperature: Not determined. Mixture is non-soluble (in water).  $\cdot pH$ · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C (68 °F): 4000 hPa (3000.2 mm Hg) (115-10-6 dimethyl ether) · Density and/or relative density • Density at 20 •C (68 •F): 0.9 g/cm<sup>3</sup> (7.5 lbs/gal) · Relative density Not determined. · Vapour density Not determined. • 9.2 Other information · Appearance: · Form: Aerosol · Important information on protection of health and environment, and on safety. · Explosive properties: Not determined. · Solvent content: · Organic solvents: 89.5 %  $\cdot$  VOC (EC) 805.1 g/l · VOC-EU% 89.45 % 10.5 % · Solids content: · Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes Void · Explosives · Flammable gases Void · Aerosols Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 6)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

#### Trade name: MONTANA EFFECT Marble various colours

		(Contd. of page 5)
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

# **SECTION 10:** Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

2

· LD/LC50 values relevant for classification:

#### 67-64-1 acetone

Oral	LD50	5800 mg/kg (rat)
	LD50	>15800 mg/kg (rabbit)
Inhalative	LC50/4h	76 mg/l (rat)

## 108-65-6 2-methoxy-1-methylethyl acetate

Oral	LD50	8530 mg/kg (rat)
Dermal		>5000 mg/kg (rabbit)
Inhalative	LC50/4 h	>10000 mg/m3 (rat)

· Skin corrosion/irritation No irritant effect.

• Serious eye damage/irritation Causes serious eye irritation.

- · Respiratory or skin sensitisation No sensitising effects known.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

\*

\*

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

# Trade name: MONTANA EFFECT Marble various colours

(Contd. of page 6)

12.1 Toxicity		
Aquatic toxici	ity:	
115-10-6 dim	ethyl ether	
EC50/96 h 1	155 mg/l (algae)	
LC50/48h	>4000 mg/l (daphnia magna)	
LC50/96 h >	>4000 mg/l (fish)	
67-64-1 aceto	ne	
LC50/96h 8	8300 mg/l (fish)	
EC50/96h 7	7200 mg/l (algae)	
LC50/48 h 8	8450 mg/l (crustacean (water flea))	
108-65-6 2-m	ethoxy-1-methylethyl acetate	
EC50 / 48 h 🗧	>500 mg/l (daphnia magna)	
	100-180 mg/l (oncorhynchus mykiss / Regenbogenforelle) <b>ace and degradability</b> No further relevant information available.	
12.5 Results of PBT: Not app vPvB: Not app 12.6 Endocrin The product d 12.7 Other ad Additional eco General notes Water hazard Do not allow to system.	plicable. ne disrupting properties loes not contain substances with endocrine disrupting properties. lverse effects ological information:	sewage
13.1 Waste tre Recommenda Must not be di Uncleaned pa Recommenda	eatment methods ation isposed together with household garbage. Do not allow product to reach sewage sy ackaging: ation:	ystem.
Disposal must	t be made according to official regulations. t be made according to official regulations. <b>14: Transport information</b>	
	ber or ID number	
14.1 UN num ADR, IMDG,		
ADR, IMDG,		

AEROSOLS

AEROSOLS, flammable

 $\cdot$  IMDG  $\cdot IATA$ 

(Contd. on page 8)

Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

# Trade name: MONTANA EFFECT Marble various colours

	(Contd. of pa
• 14.3 Transport hazard class(es)	
ADR	
2	
•	
· Class	2 5F Gases.
· Label	2.1
· IMDG, IATA	
2	
▼	
· Class	2.1 Gases.
Label	2.1
· 14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F- $D$ , $S$ - $U$
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1
	litre: Category A. For AEROSOLS with a capacity about 1 litre: Category B. For WASTE AEROSOLS: Categor
	<i>C, Clear of living quarters. Cuegor</i>
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
	litre:
	Segregation as for class 9. Stow "separated from" clas
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class
147 Maniliana (m. 1711)	
14.7 Maritime transport in bulk according to IM instruments	<i>O</i> Not applicable.
Transport/Additional information:	••
ADR	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
~ ~ ~	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
· IMDG	
Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

(Contd. on page 9)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.05.2022

Version number 7 (replaces version 6)

Revision: 22.04.2022

#### Trade name: MONTANA EFFECT Marble various colours

(Contd. of page 8)

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

```
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
```

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Flam. Gas 1A: Flammable gases Category 1A
- Aerosol 1: Aerosols Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids Category 2
- Flam. Liq. 3: Flammable liquids Category 3
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Carc. 2: Carcinogenicity Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- \* Data compared to the previous version altered.